

ROUTT COUNTY BOARD OF COUNTY COMMISSIONERS

Timothy V. Corrigan
District I

Timothy Redmond
District II

M. Elizabeth Melton
District III

Work Session

August 29, 2022

Times listed on the agenda are approximations and may be longer or shorter, or being earlier than scheduled, with no notice. Agendas are subject to change 24 hours before the meeting start time. To ensure you have the most up-to-date information, please check the agenda after 24 hours of its start time.

If you are joining the meeting for a specific item, please join 10 minutes before the item to ensure you are present for the beginning of the item.

All regular meetings are open to the public unless otherwise noted. All meetings will be held in the Routt County Historic Courthouse - 522 Lincoln Avenue, Hearing Room, Steamboat Springs - or otherwise noted.

Join the meeting via our [Zoom Link](#) .

To join by telephone dial 1-346-248-7799

Webinar ID: 851 5180 1592 Password: 44052

1. 9:30 A.M. COUNTY MANAGER/ LEGAL/ COMMISSIONERS' COMMITTEES UPDATE

Jay Harrington, County Manager
Erick Knaus, County Attorney

2. 11:00 A.M. MIND SPRINGS HEALTH UPDATE

John Sheehan, CEO
Elizabeth Tice, CFO

3. 11:30 A.M. BREAK

4. 12:30 P.M. PUBLIC HEALTH / SCHOOL LEADERSHIP MEETING

Roberta Smith, Public Health Director

A. SUPERINTENDANTS PUBLIC HEALTH UPDATE

Documents:

[SUPERINTENDANTS PUBLIC HEALTH UPDATE 08292022.PDF](#)

5. 2:00 P.M. MEETING ADJOURNED

All programs, services and activities of Routt County are operated in compliance with the Americans with Disabilities Act. If you need a special accommodation as a result of a

disability, please call the Commissioners Office at (970) 879-0108 to assure that we can meet your needs. Please notify us of your request as soon as possible prior to the scheduled event. Routt County uses the Relay Colorado service. Dial 711 or TDD (970) 870-5444.

Public Health Agenda:

COVID-19 Guidelines for Schools: [CDPHE school guidance](#)

- Reporting of positive cases
 - Per [6 CCR 1009-1](#), clinical labs and/or health care providers are required to report COVID-19 test results to public health. If school personnel perform and interpret rapid testing on-site, they are functioning as a clinical lab and are required to report all positive results. Per [6 CCR 1009-1](#) schools and child care facilities are also required to report single cases of which they become aware to public health, even if testing was performed elsewhere. COVID-19 and other conditions named in Appendix A of CCR 1009-1 (Reportable Diseases, Conditions, and Related Event Table) are declared to be potentially dangerous to public health and schools are able to disclose information needed for disease control to public health without prior written consent under FERPA's health or safety emergency exception. This is true even if there is not an outbreak.
- Schools can enroll in COVID-19 testing programs as needed [COVID-19 school testing program](#)
- Schools should follow the [Infectious disease guidelines for schools and childcare settings-](#)
- Quarantine- As of 8/11/2022, quarantine due to an exposure to COVID-19 is not longer needed. However the exposed person should wear a mask in public for 10 days and test for COVID-19 on day 5 of the exposure. <https://covid19.colorado.gov/isolation>

New Lead testing in Water

- [House bill \(HB22-1358\)](#) Test and Fix water for Kids
 - Governor Jared Polis signed House Bill 22-1358: Clean Water in Schools and Child Care Centers into law in June 2022. This law requires that each child care center, family child care home and eligible school that serves any of grades preschool through fifth in Colorado test their drinking water for lead by May 31, 2023. All testing, technical assistance, and education will be provided to these facilities for free. Before starting any sampling, entities need to enroll in the program.

Back to School Immunizations

- Routt County is now a Vaccines for Children provider and can offer vaccines to those students who are on Medicaid, uninsured/ underinsured, or Native American/ Alaskan Native.